

## HUMAN RESOURCES FOR TREATING NEW CANCER CASES IN KENYA

### Executive Summary

The purpose of this report is to describe the human resources needed in Kenya to treat new cancer patients.

The population of Kenya is approximately 38.77 million (19.37 million men and 19.39 million women) and the estimated number of new cancer cases in Kenya for the year 2008, based on Globocan data for Kenya as a whole (<http://globocan.iarc.fr/>) was 27897 (12677 in men and 15220 in women) (Table A). The five most common cancers in Kenya are (1) breast, (2) gynecological (cervix uteri, corpus uteri and ovary), (3) hematological malignancies (Hodgkin lymphoma, non-Hodgkin lymphoma, multiple myeloma, leukemia), (4) esophagus and (5) urological (bladder, kidney, prostate and testis).

Table A: The ten most frequently occurring cancers in Kenya for men and women based on 2008 Globocan data (<http://globocan.iarc.fr/>).

Cancer	Both	Rank	Men	Rank	Women	Rank
<b>All cancers excl. non-melanoma skin cancer</b>	<b>27897</b>		<b>12677</b>		<b>15220</b>	
Breast	8649	1			8649	1
Gynecological	8077	2			8077	2
Hematological Malignancies	3287	3	1925	1	1362	3
Esophagus	2349	4	1421	3	928	4
Urological	1845	5	1537	2	308	11
Head and Neck	1740	6	1052	4	688	5
Kaposi sarcoma	1455	7	946	5	509	8
Liver	1294	8	775	6	519	7
Stomach	1292	9	764	7	528	6
Colorectal	958	10	510	8	448	9
Brain, nervous system	848	11	410	9	438	10
Pancreas	567	12	297	11	270	12
Lung	506	13	352	10	154	14

Newly diagnosed cancer patients need pathology, surgery, chemotherapy and/or radiation therapy. The number of oncologists needed is based, therefore, on the number of patients requiring pathology, surgery,

chemotherapy and radiation therapy (Table B). This number is estimated from the percentage of patients requiring surgery, chemotherapy and/or radiation therapy for the top ten cancers in both men and women. For developing countries the International Atomic Energy Agency (IAEA) recommends training radiation/clinical oncologists who can prescribe both radiation and chemotherapy for the common solid cancers, instead of separate medical and radiation oncologists. Hematological malignancies are treated primarily by hematologist-oncologists. The number of specialists needed is based upon the number of cancer patients but each city, in order to ensure coverage if one person leaves or goes on vacation, must have at least 2 surgical oncologists, 2 radiation/clinical oncologists, 2 hematologist oncologists, etc.

Table B: Number of oncologists needed for Kenya's two most populous cities based on 2009 population estimates (<http://citypopulation.de/>) and 2008 Globocan data for new cancer cases (<http://globocan.iarc.fr/>).

	New Cancer Cases	Hematologist Oncologists	Surgical Oncologists	Radiation / Clinical Oncologists	Urologic Oncologists	Gynecologic Oncologists	Pathologists
Nairobi	2256	2 <sup>†</sup>	2	12	2 <sup>†</sup>	2	5
Mombasa	659	2 <sup>†</sup>	2 <sup>†</sup>	4	2 <sup>†</sup>	2 <sup>†</sup>	2

<sup>†</sup>At least 2 are needed in each city.

In addition to oncologists, support staff such as onco-pharmacists, pharmacy technicians, oncology nurses and palliative care specialists is also needed. Many cancer patients require hospitalization for diagnosis, treatment and/or complications, therefore an adequate number of oncology beds will be needed. The number of oncology nurses, onco-pharmacists and pharmacy technicians needed is based upon the number of beds occupied daily by cancer patients while the number of palliative care specialists is based on the number of new cancer cases per year (Table C). The oncology nursing staff for each 24-bed oncology unit (operating 24 hours a day, 7 days a week) comprises of one head nurse and a nurse specialist as well as 13 nurses working 8 hour shifts, 5 days per week.

Table C: Number of oncology Units, oncology nursing and pharmacy staff needed for Kenya's two most populous cities based on 2009 population estimates (<http://citypopulation.de/>) and 2008 Globocan data for new cancer cases (<http://globocan.iarc.fr/>).

	New Cancer Cases	Oncology Beds/Day	24 bed Oncology Wards	Onco-Pharmacists	Pharmacy Technicians	Palliative Care Specialists	Oncology Ward Nurses
Nairobi	2256	35	2	8	12	5	30
Mombasa	659	11	1	4	6	2	15

Since many cancer patients require radiotherapy, appropriately equipped facilities will be needed along with radiation oncology staff (Tables D and E). Radiation oncology staff includes radiation therapy technicians, medical physicists, Linac engineers and radiation oncology nurses in addition to radiation/clinical oncologists. The minimum radiation therapy equipment requirements are at least one of each: Linac, brachytherapy unit, CT simulator, treatment planning computer and dosimetry/quality assurance package.

Table D: Radiation Therapy Staff needed for Kenya's two most populous cities based on 2009 population estimates (<http://citypopulation.de/>) and 2008 Globocan data for new cancer cases (<http://globocan.iarc.fr/>).

	New Cancer Cases	Radiation / Clinical Oncologists	Radiation Therapy Technicians	Medical Physicists	Linac Engineers	Radiation Oncology Nurses
Nairobi	2256	12	15	5	2	5
Mombasa	659	4	5	2	2 <sup>†</sup>	2

<sup>†</sup>At least 2 are needed in each city.

Table E: Radiation Therapy Equipment needed for Kenya's two most populous cities based on 2009 population estimates (<http://citypopulation.de/>) and 2008 Globocan data for new cancer cases (<http://globocan.iarc.fr/>).

	New Cancer Cases	Linac / Co 60 Megavolt Unit	Brachytherapy Units	CT Simulators	Treatment Planning Computers	Dosimetry /QA Packages
Nairobi	2256	3	2	2	2	2
Mombasa	659	1	1	1	1	1

**NOTE:** Guidelines from the IAEA of the United Nations were used to calculate the radiation therapy equipment and staff needed in the setting of a developing Kenya. Guidelines from the Oncology Nursing Society were used to calculate the number of nurses needed. Several other specialty societies were also requested to provide guidelines but in most cases there were none, therefore colleagues active in those fields were consulted for estimating the number of staff needed.